

Format [1-JSON,2-XML]

1. TransactionAPI

http://domainname/API/TransactionAPI?UserID={UserID}&Token={Token}&Account={Account/Mobile}&Amount={Amount}&SPKey={SPKey}&APIRequestID={PartenerRequestID}&Optional1={Optional1}&Optional2={Optional2}&Optional3={Optional3}&Optional4={Optional4}&Format=2

Response:

Key	Value	Description
status	1,2,3,4	PENDING,SUCCESS,FAILED,REFUND

JSON

```
{
  "account": "1234567890",
  "amount": 0.0,
  "rpId": "S20191007123456789",
  "agentId": "PartnerUniqueID",
  "opId": "liveId",
  "status": 2,
  "msg": "Successful!",
  "bal": 0.0,
  "errorCode": "200"
}
```

XML

```
<TransactionResponse>
  <STATUS>2</STATUS>
  <MSG>Successful</MSG>
  <BAL>0</BAL>
  <ERRORCODE>200</ERRORCODE>
  <ACCOUNT>1234567890</ACCOUNT>
```

```
<AMOUNT>10</AMOUNT>

<RPID>S20191007123456789</RPID>

<AGENTID>PartnerUniqueID</AGENTID>

<OPID>liveid</OPID>

</TransactionResponse>
```

2. Balance

<http://domainname/API/Balance?UserID={UserID}&Token={Token}&Format=2&OutletID=0>

JSON

```
{
  "status": 2,
  "msg": "Transaction_Successful",
  "bal": 1000.00,
  "errorcode": "200"
}
```

XML

```
<TransactionResponse>

  <STATUS>2</STATUS>

  <MSG>Transaction_Successful</MSG>

  <BAL>1000.00</BAL>

  <ERRORCODE>200</ERRORCODE>

</TransactionResponse>
```

3. StatusCheck

[http://domainname/API/StatusCheck?UserID={UserID}&Token={Token}&RPID={RPID}&AgentID={PartnerUniqueID}&Optional1={TransactionDate in dd MMM yyyy in case of AgentID \[e.g - 15 AUG 1947\]}&Format=2&OutletID=0](http://domainname/API/StatusCheck?UserID={UserID}&Token={Token}&RPID={RPID}&AgentID={PartnerUniqueID}&Optional1={TransactionDate in dd MMM yyyy in case of AgentID [e.g - 15 AUG 1947]}&Format=2&OutletID=0)

Rather than STATUS [2, 3, 4] consider as Pending

JSON

```
{  
  "account": "1234567890",  
  "amount": 0.0,  
  "rpId": "S20191007123456789",  
  "agentId": "PartnerUniqueID",  
  "opId": "liveid",  
  "status": 2,  
  "msg": "Successful!",  
  "bal": 0.0,  
  "errorCode": "200"  
}
```

XML

```
<TransactionResponse>  
  <STATUS>2</STATUS>  
  <MSG>Successful</MSG>  
  <BAL>0</BAL>  
  <ERRORCODE>200</ERRORCODE>  
  <ACCOUNT>1234567890</ACCOUNT>  
  <AMOUNT>10</AMOUNT>  
  <RPID>S20191007123456789</RPID>  
  <AGENTID>PartnerUniqueID</AGENTID>  
  <OPID>liveid</OPID>  
</TransactionResponse>
```